

**Annexure-'A'**

**TENDER DOCUMENT (COVER-I) FOR PROCUREMENT OF HAULAGE STEEL WIRE ROPE**

**NIT NO. – Mgr (P&S)/J/16-836, dt.-8/01/2016 due on 02.02.2016.**

Issued to M/S \_\_\_\_\_  
\_\_\_\_\_

(SPACE FOR REVENUE STAMPS)

TENDERS NOT AFFIXED WITH REQUISITE AMOUNT OF REVENUE  
STAMPS SHALL BE REJECTED

**ACCEPTANCE TO THE TERMS AND CONDITIONS OF THE NIT**

1. WE M/S \_\_\_\_\_  
ACCEPT AND AGREE TO ALL THE TERMS AND CONDITIONS OF THE NIT No **Mgr (P&S)/J/16-836, dt.-8/01/2016 due on 02.02.2016,**
2. COPY OF TERMS AND CONDITIONS SIGNED AND STAMPED ON EACH PAGE IS ENCLOSED.
3. WE ALSO CONFIRM THE ACCEPTANCE TO THE TECHNIAL SPECIFICATIONS FOR DESIGN, MANUFACTURE AND SUPPLY OF HAULAGE STEEL WIRE ROPE AS ENVISAGED IN THE NIT.
4. PARTICULARS OF EARNEST MONEY \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
5. COPY OF LATEST SALES TAX/VAT CLEARANCE CERTIFICATE DATED \_\_\_\_\_  
ENCLOSED.
6. LIST OF ENCLOSURES ENCLOSED HEREWITH.

Dated :  
Place :

Signatures with seal of the firm (Tenderer)

**TENDER DOCUMENT TO NIT FLOATED FOR PROCUREMENT OF HAULAGE STEEL WIRE  
ROPE REQUIRED AT COAL MINES, KALAKOT.  
UNDER NO: Mgr (P&S)/J/16-836, dt.-8/01/2016 due on 02.02.2016**

**(Terms and conditions)**

1. The details of the items required are contained in Annexure-‘B’ forming part of this tender document.

2. **SUBMISSION OF TENDERS:**

- i) The tenders affixed with revenue stamp worth Rs.5/- should be addressed to **The Managing Director J&K Minerals Limited**, and should reach his office at **5<sup>th</sup> Floor, Jawahar Lal Nehru, Udhog Bhawan, Rail Head Complex, Jammu-180012** on or before **02.2.2016** by 4.00P.M. Tender(s) received late by hand or post or otherwise shall not be entertained, even if the rates quoted are lowest.
- ii) The tenders shall be submitted under two cover system as cover 1st and cover 2<sup>nd</sup> as under:

**Cover 1st** shall contain:

- a) Cover note enclosed as Annexure ‘A’ affixed with Rs. 5/- Revenue Stamps duly filled in and signed with seal by the tenderer.
- b) Earnest Money Deposit to the tune of Rs.5000.00(Rupees five thousand) in the shape of CDR/FDR/IBG Pledged to FA&CAO, J&K Minerals Limited.
- c) Technical specifications as per enclosed Annexures ‘B’
- d) Acceptance to general terms and conditions of the NIT. The firms are required to put their signature with seal on each page of terms and conditions of the NIT and enclose the same with Cover-I. **Conditional tender shall be out rightly rejected.**
- e) In case of local firms/dealers of the J&K State latest “Sales Tax Clearance Certificate ” issued by competent authority under provisions of J&K GST Act, 1962 and J&K VAT Act 2005 is also required to be enclosed in the first Cover.

**Note:- All the above items are essential part of the cover-I of the tender, without any of which tender shall be liable to be rejected without seeking any further clarifications.**

**Cover 2<sup>nd</sup> shall contain the Price Bid as per enclosed Annexure ‘C’.**

Cover 2<sup>nd</sup> shall be opened only when the earnest money is found in order and after finalization of technical bid (Cover 1<sup>st</sup>) and only of those firms which qualify the requirement of 1<sup>st</sup> cover in respect of the technical specification and terms and conditions as envisaged in terms and conditions of the NIT. The firms should note that the cover-II shall contain only the price bid.

3. **Marking of the covers:-**

Each cover shall be clearly marked as “cover 1<sup>st</sup>” and “cover 2<sup>nd</sup>”

- i. Cover 1<sup>st</sup> shall be marked to indicate "Earnest Money, Technical Specifications and Terms and Conditions".
  - ii. Cover 2<sup>nd</sup> shall be marked to indicate "Price Bid".
4. The sealed envelope containing the tenders (all covers) should be superscribed as tender for Supply of Haulage Steel Wire Rope against NIT No **Mgr (P&S)/J/16-836, dt.-8/01/2016 due on 02.02.2016.**
5. The rates should be clear and legible without any overwriting or erosion. However corrections or insertions other than the rates should be properly initialed. Tenders written in pencil partly typed or partly hand written or written in different inks shall be rejected. Tenders must be clearly written and all rates and costs written both in figures as well as in words. The tender document shall be signed and dated on each page by the firm.
6. The offer should be valid for a period of 180 days from the date of opening of price bid. Such of the tenders which will not be valid for 180 days from the date of opening shall be rejected.
7. The tender must be sent by registered post, speed post, registered courier or delivered personally in the office of the Managing Director, J&K Minerals Ltd. Jawahar Lal Nehru Udyog Bhawan, Jammu. Late tenders whether by hand or post shall not be entertained at all.
8. Conditional tenders such as 'Subject to Market Fluctuations' or subject to goods remaining unsold etc. shall be rejected even if the rates offered are found to be lowest.  
**Tenders of the firms not accepting the terms and conditions of the NIT shall be outrightly rejected.**
9. **Inter-dependent Tender:**  
Firm(s) which is dependent upon the tenders of other shall not be entertained.
10. **Expenses for Tender:**  
The firm(s) shall not be entitled to any claim towards expenses incurred on incidental at the time of submission of the tenders or subsequent evaluation/ clarifications thereof.
11. **EARNEST MONEY / SECURITY DEPOSIT:**
  - iii) Tender(s) should be accompanied with earnest money to the tune of Rs.5000.00 (Rupees five thousand) which should be in the form of CDR/FDR pledged to the FA&CAO, J&K Minerals Limited, or in the shape of irrevocable bank guarantee, from a scheduled bank encashable from the local branch at Jammu / Srinagar of the issuing Bank on non-judicial stamp, without which the tender(s) shall not be entertained, even if the rates offered are found to be lowest.
  - iv) Earnest money shall be refunded to the un-successful tenderer(s) only after, finalization of the tender and shall be retained in case of successful tender(s) which shall be refunded after successful completion of warranty period of 12 months. In case of successful tender(s) having earnest money in the shape of Bank Guarantee, they shall have to extend the validity of the Bank Guarantee up to 12 months after delivery of material.

The Earnest Money/irrevocable Bank Guarantee of the successful tenders/ (s) who backs out or withdraw his tender or fails to abide by it after the acceptance is conveyed or posted to the addressee, shall be forfeited besides recourse to law in force in the

State shall be taken to recover the extra cost, if involved in completion of work order through some other agency, at his risk and cost.

**12. Prices:**

The firm(s) is required to quote net landed rates F.O.R delivery at Kalakot Mine Works. The firms are required to quote net landed rates inclusive of all taxes, levies (such as excise duty, CST & VAT etc), packing forwarding, freight and Transit insurance State Entry Tax & Toll Tax etc whichever are applicable. The net landed rates quoted by the firm shall be considered to be inclusive of all such charges as mentioned above and no extra claim of the firm on this account shall be considered if found to be eligible for placement of supply order.

**It is the responsibility of tenderer to verify about the taxes/duties applicable on the supplies during the period of tendering/supplies.**

**13. Opening of Tenders:**

- i) Tenders shall be opened by the Tender opening committee (TOC) on 6.2.2016 or any other subsequent date convenient to the TOC in presence of tender(s) who may wish to remain present at the time of opening of tenders.
- ii) The Managing Director, J&K Minerals Limited, reserves the right to accept or reject any / or all tender(s) in part or full.
- iii) The tender(s) should bear in mind that if it comes to the notice of J&K Minerals Limited that they have within the specified period offered lower rates to any other party within the territorial limits of J&K State, penalty clause would be applied and proceedings will be started for effecting recovery of the difference for entire contract besides action initiated to black list the party within the jurisdiction of J&K State.
- iv) The successful tenderer shall not assign or sublet his supply order or any substantial part thereof to any other agency.
- v) The supplies shall be of the standard quality and up to the standard specification and in strict accordance as per Annexure 'B' enclosed. The decision of the accepting authority shall be final as to the quality of the material and shall be binding upon the tenderer(s) and in case the Material supplied not being of prescribed standard or norms the same shall be liable to be rejected or replaced and any expenses or loss caused to the supplier as a result or rejection or replacement of same shall be entirely on the account of the supplier(s).
  - vi). The rejected consignment must be removed by the tenderer from the destination (where it is) within 15 days of the date of information of rejection. The officials concerned will take reasonable care of consignment but in no case be responsible for any loss, shortage and damage that may occur to it while it is on their premises.
- vi) Any other term and condition as applicable under Financial norms shall be incorporated at the time of supply order.
- vii) The supplier shall certify on the body of bill that rates charged are lowest as offered to any Govt. Institution.

**14. Terms of Payment:**

98% (Ninety eight percent) payment along with 100% Taxes if applicable shall be paid against delivery at Kalakot Works preferably in one lot and verification thereof by the material receiving authority to the effect that the supplies are in conformity with the specifications and terms and conditions of the supply order.

Balance 2% (two percent) amount shall be released after satisfactory completion of supplies in all respects and verification thereof by the competent authority.

**15. Delivery Period:**

The Material complete in all respects shall be supplied by the firm within 60 days from the date of placement of Purchase order.

**16. Performance Guarantee:**

The approved supplier/successful firm shall be bound for a period of 12 months from the date of supply of Material/Item for satisfactory performance. During the guarantee period if any defect is found in the equipment or any part thereof, which may have been caused by bad workmanship, use of inferior material or otherwise, or if in the opinion of the Government any repair or replacement are required to be made to the Department, the approved supplier shall be liable to remove defects/or conduct repairs at his own cost and expenses within period of 15 days of the receipt of the notice from the Department. In the event of the failure on the part of approved supplier to remove these defects are make repairs within the stipulated period the Department may get the defects removed or repairs made by any other agency and the cost thereof shall be recovered from the approved supplies.

**17. Paying Authority:**

Managing Director, J&K Minerals Ltd., 5<sup>th</sup> Floor, Jawaharlal Nehru, Udhog Bhawan Jammu.

**18. Penalty:**

In the event of successful tenderer(s), failure, neglecting, declining or delaying the supplies or in the event of any damage occurring or being caused or in the event of any default or failure in complying with any of the terms & conditions of the supply order, the Corp. shall with or without prejudice to any other remedy available to it under any law for the time being in force in the State.

- i). Terminate the supply order after 10 days notice, and / or
- ii). Recover the amount of loss caused by damage, failure or default including the consequential damage as may be determined by the Department and / or
- iii). Recover the extra cost, if any, involved in allotting the Purchase order to other party, and / or
- iv). Forfeiture of earnest money / security deposits in case of delay.

**19. Insurance:**

The goods prior to dispatch shall have to be insured through a Nationalized Insurance Company upto its final destination, against all transit risks. The firm shall therefore have to take appropriate insurance policy in advance for covering the dispatch and transit of the goods, charges for which shall be borne by the successful firm and shall be included in the net laded quoted rates FOR works at Coal Mines Kalakot (J&K) as per clause 12 above. The department shall pay no extra charges on this account.

**20. Testing:**

The test certificate of the manufacturers and that of RITES in respect of each item shall be furnished alongwith the advance copy of despatch documents to the consignee.

**21. Inspection:**

The equipment shall be inspected by the representative of the Department at the suppliers/manufactures work and or by third party inspection agency RITES which will be engaged by the Department for carrying out inspection. This inspection fee for 3<sup>rd</sup>

party inspection at manufacturer's work shall be paid by the supplier in the first instant which will be reimbursed by the Department, if the test is found to be successful and material released by the RITES.

**22. Mode of Dispatch:**

The supplier shall dispatch the material through a reputed road transport agency direct from despatching station upto destination. The equipment shall be suitably packed in standard packings as may be conveniently transported for which the supplier shall take due care keeping in view the limitation for size and weight. Each packing shall carry a packing list and copy thereof shall be sent to the consignee both separately as well as with despatches.

**23. Specifications of Material:**

Detailed specifications of Haulage Steel Wire Rope shall be clearly mentioned giving its make, and other constituent component and performance over whole range of operation and other relevant particulars as per **Annexures-'B'**. Firms must quote for exact specifications as provided herein and there shall be no deviation as per **Annexures-'B'**.

**24. Clarifications:**

In respect of any clarification of the conditions/technical provisions set forth in the tender documents the firm(s) shall address this office in writing ten or more days before the last date fixed for receipt of tenders.

**25. FORCE MAJURE:**

Any failure or omission to carry out the provision(s) of the Purchase order shall not give rise to any claim by the Corporation or the tenderer against each other if such failure or omission arises from an "Act of God" which shall include all natural calamities such as fires, floods, earthquakes, hurricane, strikes, riots etc. beyond the control of the parties including war, whether declared or not, civil war or a state of insurrection.

**26. ARBITRATION:**

If at any time, dispute or differences, whatsoever, shall arise between the parties upon or in relation to or in connection with the tender, either of the parties may give the other, notice in writing of the existence of such question of dispute or difference and the same shall be referred for award to Managing Director, JKML, whose decision shall be final and binding upon the parties.

Manager (P&S)

## ANNEXURE 'B'

**NIT NO:- Mgr (P&S)/J/16-836, dt.-8/01/2016 For PROCUREMENT OF HAULAGE  
STEEL WIRE ROPE**

### REQUIREMENT AND TECHNICAL SPECIFICATIONS OF HAULAGE STEEL WIRE ROPE AS SPECIFICATIONS AND QUANTITIES MENTIONED BELOW.

**1. SCOPE :-**

The scope of work covers the design, manufacture shop testing, packing, forwarding, insurance, transportation and delivery of steel wire rope at Consignee's works Kalakot Mines (J&K) as per technical specification and quantities mentioned here under:

**2. REQUIREMENT:- HAULAGE STEEL WIRE ROPE**

Description	Tentative Quantity
<b>Size-25mm(Dia) as per IS-1856:2005</b> Construction-6x7, Strand construction-6x1, Tensile grade: 1570N/mm, Wire finish: Ungalvanized, Type of core: Fiber core, Lay direction: RHL,	1000 Mtrs.
<b>Size-19mm.(Dia) as per IS-1856:2005</b> Construction- 6x7, Strand construction-6x1, Tensile grade: 1570N/mm, Wire finish: Ungalvanized, Type of core: Fiber core, Lay direction: RHL,	1000 Mtrs.
<b>Size-16mm.(Dia) as per IS-1856:2005</b> Construction- 6x7, Strand construction-6x1, Tensile grade: 1570N/mm, Wire finish: Ungalvanized, Type of core: Fiber core, Lay direction: RHL,	1000 Mtrs.

**Note:-**Quantities mentioned above are liable to be increased or decreased at the time of placement of order.

**Detailed Technical Specifications/ Reference to IS Codes:**

The design, manufacture, testing and other technical supply conditions for steel wire ropes for coal mine haulage shall be governed by the specification laid in IS 6594:2001.

Steel wire rope as well as material used for manufacture of steel wire rope of specifications as mentioned above shall be conforming to the technical as well as physical parameters as laid in relevant IS codes as mentioned below and shall be subject to lab testing as per method of testing as prescribed therein.

S NO:	DESCRIPTION OF MATERIAL	SPECIFICATION/TESTING AS PER:

1.	STEEL WIRE ROPE FOR COAL MINE HAULAGE	IS 1856:2005
2.	FIBRE, MAIN CORE	IS 1804:1996
3.	UN GALVANIZED ROUND STEEL WIRE FOR ROPE/TENSILE PROPERTIES OF WIRE	IS 1835:1976
4.	ZINC COATING/UNIFORMITY OF ZINC COATING	IS 2633:1986
5.	SIMPLE TOTION TEST FOR WIRE	IS 1117:1985
6.	REVERSE BEND TEST FOR WIRE	IS 1716 :1985
7.	TENSILE TEST FOR WIRE/ROPE	IS 1608 :1995

Any parameter not mentioned above but deemed necessary for ensuring best quality of steel wire rope for use with coal mine haulage shall be mentioned by the tenderer in the offer / or shall be incorporated in the supply order

**3. MARKING:**

The size, construction, rope grade, lay, core, coating and length of wire rope, reel/coil number along with the order number of purchaser and any other marking which may be specified by the purchaser shall be legibly mentioned on a suitable tag securely attached, when wire ropes are supplied in coils. In case wire ropes are supplied in reels, the information may be stenciled on both sides of the reels or stenciled on one side of the reel and a suitable tag giving the same information may be attached on the other side of the reel.

**4. Manufacturer's Test Certificates:**

The supplier shall furnish shop test certificates in respect of all the material used for manufacture of steel wire rope as well as for the steel wire rope , conducted in accordance with the requirements laid in relevant IS codes. All materials used/ Steel wire rope should be conforming to the laid specifications.

**5. Inspection & Testing of Material:**

The Material/item shall be inspected by the third party inspection agency viz. M/S CEIL/RITES at manufacturer's works as per the scope of inspection and procedures /methods as envisaged in technical specifications/relevant IS codes. The manufacturer's/suppliers of Haulage steel wire rope shall provide all testing facilities to the inspection as prescribed in relevant IS codes and other mining safety regulations agency at no extra cost. The firm shall submit testing procedures for Haulage Steel Wire Rope. The successful firms shall make advance payment for testing to inspection agency at 1<sup>st</sup> instance. Testing charges shall be reimbursed by the Department subsequently. The supplier shall give an inspection call to CEIL/RITES with copy to the Department as well at least 15 days in advance of date of inspection.

**MANAGER (P&S)**



**Annexure 'C,**

**NIT NO.- Mgr (P&S)/J/16-836, dt.-8/01/2016 PROCUREMENT OF HAULAGE STEEL  
WIRE ROPE**

**Price schedule**

Particulars	Basic Rate/ per unit  (In Rs.)	Excise Duty+ E.Cess on E.D.	C.S.T	J&K Entry Tax/ VAT	Carrying/ Forwarding / Freight/ Transit Insurance upto consignee's works	Toll Tax	Net Landed Rate per meter F.O.R. Coal Mines, Kalakot, inclusive of all taxes, duties, carrying & forwarding, transit insurance, etc.
Size-25mm. Construction:-6x7, Strand construction:-6x1, Tensile grade:1570N/mm, Wire finish:-Ungalvanized, Type of core:-Fibre core, Lay direction:-RHL, I.S.Specification:- 1856:2005,							
Size-19mm. Construction:-6x7, Strand construction:-6x1, Tensile grade:-1570N/mm, Wire finish:-Ungalvanized, Type of core:-Fibre core, Lay direction:-RHL, I.S.Specification:- 1856:2005,							
Size-16mm. Construction:-6x7, Strand construction:-6x1, Tensile grade:-1570N/mm, Wire finish:-Ungalvanized, Type of core:-Fibre core, Lay direction:-RHL, I.S.Specification:- 1856:2005,							

Signatures with seal of the firm (Tenderer)