

TENDER DOCUMENT (cover-I)

NIT NO: MGR (P&S)/J/16-267, DT.-22/06/2016 AND DUE ON-04/07/2016.

Issued to M/S _____

(SPACE FOR REVENUE STAMPS)

TENDERS NOT AFFIXED WITH REQUISITE AMOUNT OF REVENUE STAMPS
SHALL BE REJECTED

ACCEPTANCE TO THE TERMS AND CONDITIONS OF THE NIT

1. WE M/S _____

ACCEPT AND AGREE TO ALL THE TERMS AND CONDITIONS OF THE NIT No
Mgr(P&S)/J/16-267, dt.-22.6.2016 and due on 04.07.2016.

2. COPY OF TERMS AND CONDITIONS SIGNED AND STAMPED ON EACH PAGE IS
ENCLOSED.

3. WE ALSO CONFIRM THE ACCEPTANCE TO THE TECHNIAL SPECIFICATIONS AS per
Annexure- B of the NIT.

4. PARTICULARS OF EARNEST MONEY _____

6. COPY OF LATEST SALES TAX/VAT CLEARANCE CERTIFICATE DATED _____
ENCLOSED.

7. LIST OF ENCLOSURES ENCLOSED HEREWITH.

Dated:-

Place:-

Signatures with seal of the firm (Tenderer)

Terms and Conditions:-

1. Offer is to be furnished in **2 cover system**. **1st cover** should contain technical specifications, and **Earnest Money Deposit** (Refundable) in shape of FDR/CDR/ IBG amounting to Rs.1000.00(Rupees one thousand) pledged in favour of FA&CAO J&K Minerals limited, which shall be treated as security deposit in case of successful tenderer and returned in case of un successful tenderer. In case tender document is downloaded from website of the corpn. cost of tender document(Non- Refundable) amounting to Rs.100.00(Rupees one hundred)only should be attached in the shape of Demand Draft favouring FA&CAO J&K Minerals limited. **2nd cover should contain price bid only.**
2. List of items with technical specifications is at **Annexure-B.**
3. The validity of offer shall be three months to be effective from the date of opening of offers.
4. Rates quoted shall be for material delivered at Jammu inclusive of all taxes as may be applicable. The rates shall be reasonable and competitive and final and binding on the firm for the validity period. No C-Form shall be issued by JKML.
5. The Material shall have to be delivered within 15 days from the date of confirmed supply order.
6. The Jack Hammer supplied shall carry manufacturer's warranty/guarantee and supplier shall as such furnish a warranty/guarantee certificate on its letter head along with the supplies. Defective material if any shall have to be replaced by the supplier immediately on receipt of the intimation from the department, in this connection.
7. Penalty may be imposed on the supplier in case of delay in supply or for non compliance of warranty/guarantee clause, besides forfeiture of the EMD/security deposit.
8. Consignee shall be Mines Manager, Assar Gypsum Project.
9. 98% payment along with taxes shall be released on successful completion of supplies in all respects and necessary verification thereof by the concerned.2% shall be released after successful completion of warranty period.
10. The Managing Director, J&K minerals Ltd reserves the right to reject the quotation partly or fully at its discretion without assigning any reasons thereof. Conditional/ Incomplete / Belated tenders will not be entertained and shall be out rightly rejected.
11. The sealed offer addressed to Manager (P&S), J&K minerals Ltd, should reach his office at 5th Floor, Jawaharlal Nehru Udhyog Bhawan, Rail Head Complex, Jammu-180012, on or before 04.07.2016 upto 5.00 pm.

Manager (P&S)

ApNNEXURE-B

1.) Jack Hammer/Drill Machine:-

- a) Heavy Duty, Dry type, 6Bar,100Cfm.
- b) Air line lubricator with two No. couplings
- c) D.F hose and coupling $\frac{3}{4}$ "
- d) D.F coupling $\frac{3}{4}$ " (M),
- e) D.F Female coupling $\frac{3}{4}$ " (F),
- f) Hose clamp $\frac{3}{4}$ " (N)
- g) Coupling Washer $\frac{3}{4}$ ".

2.) Pneumatic Hose Pipe:-

$\frac{3}{4}$ " dia., steel braided, 500psi/35kg/cm working pressure.

3.) Drill Rods:-

Integral drill rod 4.1/4"(108mm) shanks x7/8 "(22mm) Hex of length(+/- limits of 1%) TCT Drill Rod 1200mm bit size 34mm.

Integral drill rod 4.1/4"(108mm) shanks x7/8 "(22mm) Hex of length(+/- limits of 1%) TCT Drill Rod 1600mm bit size 34mm.

Integral drill rod 4.1/4"(108mm) shanks x7/8 "(22mm) Hex of length(+/- limits of 1%) TCT Drill Rod 2400mm bit size 34mm.